

T3S - R1E. 2nd Mer.

61	62	62	62	63	63
59 6	58 5	77 4	77 3	77 2	76 1
78	75-78	76-77	76-77	76	76
59 7	75 8	75 9	74 10	74 11	73 12
75	73-75	73-74	73-74	73-74	73
59 18	73 17	72 16	72 15	71 14	71 13
72	70-72	70-72	70-72	71	71
60 19	70 20	69 21	69 22	69 23	68 24
67	68-70	68-69	68-69	68-69	68
60 30	67 29	66 28	66 27	66 26	65 25
67	65-67	65-66	65-66	65	64
61 31	65 32	64 33	64 34	64 35	63 36
55	55-56	55-56	55-56	55-56	55 57

T4S - R1E. 2nd Mer.

81	81-82	81-82	81-82	81-82	81-83
6 85	5 85	4 85	3 85	2 84	1 84
86	86-87	86-87	86-87	85	
7 88	8 87	9 87	10 87	11 86	
88	88-91	88-90	88-90	88	
18 91	17 90	16 90	15 89	14 89	
91	91-93	91-92	92	89	
19 93	20 93	21 92	22 92	23 90	24 83
93	94-96	94-96	94-95	94-95	94
30 94	29 96	28 95	27 95	26 95	25 83
96	97	97	98	98	99 36
31 97	32 97	33 97	34 98	35 98	
84 84					

Meandering Sec 99

Ohio R.

T. 3. S. R. 1. E. 2. Mer. Ind.

Township No. 3. S. R. 1. E. 2. Mer.
Indiana

West Random line between Township No. 39 & S. R. 1. E.
 40.00 Set Temporary post
 80.00 " " " Broken land Oak Timber

West On N. side of Sec. No. 2 Random line
 40.00 Set post
 80.00 Set " Broken land Oak Timber

West Random T. line on N. side of Sec. No. 3 in T. 4 S. R.
 1. E.
 40.00 Set Temporary post
 50.00 No small run course S.
 80.00 Set Temporary post, Broken land Oak Timber

West On North side of Sec. 4
 20.08 No Run 100 lbs over course S.
 40.00 Set post
 80.00 Set Do. Rough land hilly Oak Timber

West On N. side of Sec 5
 40.00 Set post
 80.00 Set Do Level land good soil Oak & Beech Timber

West On S. side of Sec. No. 6.
 00.15 No Run 15 lbs. over course S.
 40.00 Set post
 44.00 No Run 30 lbs. wide course S.
 74.50 No W. R. line full 3 chs. N. of Township corner
 Broken land Oak Timber

East On true Township line moved to Sec. post 2 75 lbs. S.
 from which a Beech & Fir line bears N 84 W 15 lbs.
 & a Beech 16 ins. dia bears E. 41 lbs.

S. D. S. R. 1. E. of Mer. Ind.

removed Sec. post S. 250 lks. established
corners of Sec. N 5 46 in Township 4 & 31432
in Township 3 S 3.1.E from which a Beech 12
ins. dia bears S 24 E 12 lks & a Dogwood 4 ins.
dia. bears N 16 W 16 lks.

East 1 Laid the true line on N. Side of Sec. No. 5
in T. 4 S. R. 1. E

40.00 Set 1/4 Sec. post 225 lks. S from which a
W. Oak 12 ins. dia bears N 38 W 16 lks. & a
W. Oak 16 " " " S 57 E 34 "

80.00 Set post cor. of Sec. No. 4 & 5 in T. No. 4 & Sec.
No. 32 & 33 in T. 3 S. R. 1. E from which a W. Oak
10 ins. dia bears S 30 E 6 lks. & a W. Oak 8 ins. dia
bears N 20 W 38 lks

East On N. Side of Sec. No. 4 T. 4 S. R. 1. E.

40.00 Set 1/4 Sec. post from which a Beech 8 ins. dia. bears
S 25 E 4 lks. & a Beech 6 ins. dia. bears N 5 W 35 lks

80.00 Set post cor. of Sec. No. 3 & 4 in Town No. 4 &
Sec. No. 33 & 34 in T. 3 S. R. 1. E from which a
Sugar tree 6 ins. dia bears S 35 E 17 lks. & a Sugar
tree 7 ins. dia N 25 W 32 lks.

East Established the Township line on N. Side of
Sec. No. 3 T. 4 S. R. 1. E

40.00 Set 1/4 Sec. post from which a Gum 10 ins. dia.
bears N 77 W 17 lks. & a Sugar tree 6 ins. dia bears
N 85 E 15 lks

80.00 Set post cor. of Sec. No. 2 & 3 in T. 4 & Sec.
No. 34 & 35 in T. 3 S. R. 1. E. from which a
Hick 5 ins. dia. bears N 5 W 2 lks. & a W. Oak 6
ins. dia bears S 65 E 7 lks

East On Township line N. Side of Sec. No. 2.

40.00 Established 1/4 Sec. post from which a W. Oak

57

T. 3. S. R. 1. E. of Mer. Ind.

	18 ins. dia. bears N 43 E 25 lbs & a W. Oak 10 ins dia. bears N 43 W 17 lbs
\$0.00	Set post cor. of Sec. No. 1 & 2. in T. 4 & N. 35 & 36 in T. 3. S. R. 1. E. from which a W. Oak 16 ins dia. bears N 22 E 7 lbs. & an Elm 12 ins. dia. bears S 6 W 12 lbs.
<hr/>	
East	On Township line No. side of Sec. No. 1. T. 4 S. R. 1. E.
40.00	Set 1/4 Sec. post from which a B. Walnut 8 ins. dia bears S 80 W 12 lbs & a Sugar-tree 6 ins. dia bears N 80 E 12 lbs.
\$0.00	To Township cor. before established
<hr/>	
South	On E. side of Sec. No. 1. in T. 3. S. R. 1. E
7.20	To W. Oak 10 ins. dia. in line
40.00	Set 1/4 Sec. post from which a W. Oak 30 ins. dia. bears N 30 E 26 lbs. & a W. Oak 20 ins. dia. bears S 60 W 39 lbs
54.60	To B. Oak 24 ins. dia. in line
\$0.00	Set post cor. of Sec. No. 1 & 2 in T. 3. S. R. 1. E. from which a W. Oak 15 ins. dia. bears N 3 W 20 lbs. & a Gum 18 ins. dia. bears S 8 W 46 lbs. Level land thin soil. Oak Timber
<hr/>	
South	On E. side of Sec. No. 12 in T. 3. S. R. 1. E
10.00	To W. Oak 12 ins. dia. in line
40.00	Set 1/4 Sec. post from which a W. Oak 24 ins. dia. bears N 48 E 11 lbs. & a W. Oak 25 ins. dia. bears S 5 W 38 lbs.
47.50	To B. Oak 10 ins. dia. in line
\$0.00	Set post cor. of Sec. No. 12 & 13 in T. 3. S. R. 1. E. from which a Hickory 12 ins. dia. bears N 65 E 10 lbs. & a Dogwood 6 ins. dia. bears S 80 W 21 lbs. Level land thin soil Oak Timber
<hr/>	
South	On E. side of Sec. 13. T. 3. S. R. 1. E.
2.55	To B. Oak 18 ins. dia
40.00	Set 1/4 Sec. post from which a Gum 6 ins. dia bears N 57 E 6 lbs. & a Sassafras 6 ins. dia bears S 3 W 26 lbs

T. 3. S. R. 1. E. of Mer. Ind.

30.30 To W. Oak 10 ins. dia
 80.00 Set post cor. of Sec. No. 13 & 24 from which a
 B. Oak 30 ins. dia. bears N 30 E 24 lks. & W. Oak 15
 ins. dia. bears S 45 E 6 lks Level land thin
 Soil Oak Timber

South On E. side of Sec. No. 24. T. 3. S. R. 1. E
 14.40 To Gum 15 ins. dia in line
 29.60 To B. Oak 18 " " "
 40.00 Set $\frac{1}{4}$ Sec. post from which a Poplar 12 ins. dia
 bears S 25 E 13 lks. & B. Oak 18 ins. dia bears N 20 E 7 lks
 43.50 To Hickory 12 ins. dia
 80.00 Set post cor. of Sec. 24 & 25 from which a Dog?
 6 ins. dia. bears S 46 E 4 lks & W. Oak 8 ins. dia
 bears N 44 W 2 lks. Thin Soil Oak & Poplar
 Timber. W. G. Green Piers

South On E. Side of Sec. No. 25. T. 3. S. R. 1. E
 12.20 To Poplar 18 ins. dia
 40.00 Set $\frac{1}{4}$ Sec. post from which a Gum 6 ins. dia. bears
 N 20 W 46 lks. & W. Oak 10 ins. dia. bears S 12 E 6 lks
 56.08 To Poplar 10 ins. dia
 80.00 Set post cor. of Sec. No. 25 & 36 from which
 a W. Oak 8 ins. dia. bears N 53 W 12 lks. & W. Oak
 18 ins. dia bears S 75 E 18 lks. Rough hill land
 thin Soil Oak Timber very brushy

South on East Side of Sec. 36. T. 3. S. R. 1. E
 17.30 To W. Oak 10 ins. dia
 40.00 Set $\frac{1}{4}$ Sec. post from which a B. Oak 18 ins. dia. bears
 N 30 E 16 lks. & Sugar tree 8 ins. dia bears S 6 W 6 lks.
 40.60 To Run 7 lks. over course M
 80.00 Set post cor. of Sec. No. 36 in T. 3. & Sec. No. 4 in
 T. 4 S. R. 1 E & cor. of Sec. No. 31 in T. 3 & Sec. No
 6 in T. 4 S. R. 2. E from which a W. Oak 16 ins
 dia bears S 63 E 15 lks. & W. Oak 8 ins. dia bears

59

T. 3. S. R. 1. E. of Mer. Ind.

N 4 W 2 3 lks. Rough hill land Oak Timber

South East Boundary of Sec. 1. T. 3. S. R. 1. W

- 27.28 Hickory 18 ins. dia.
 31.75 Brook 10 lks. wide course W
 39.05 W. Walnut 20 ins. dia
 40.00 Put 1/4 Sec. post from which a Beech 16 ins. dia
 bears S 25 W 49 lks. & a Beech 19 ins. dia. bears S 94 W 18 lks
 42.25 Poplar 40 ins. dia
 67.50 Creek 100 lks. wide course N. W
 78.40 Gum 16 ins. dia
 80.00 Put post cor. of Sect. No. 1 & 12. T. 3. S. R. 1. W
 from which a Sugar tree 18 ins. dia. bears S 40
 W. 39 lks. & a Sugar 18 ins. dia bears S 57 E 20 lks
 (This mile Beech Oak & Poplar & Sugar tree
 Timber middling soil

South East Boundary of Sec. 12. T. 3. S. R. 1. W

- 14.75 Poplar 40 ins. dia
 24.25 Brook 6 lks. wide course W.
 40.00 Set 1/4 Sec. post from which a Beech 15 ins. dia
 bears S 22 W 48 lks. & a Beech 15 ins. dia bears S 67
 W. 28 lks
 60.26 Beech 14 ins. dia
 72.57 Brook 12 lks. wide course W.
 80.00 Set post cor. of Sect. 12 & 13. T. 3. S. R. 1. W from
 which a W. Oak 14 ins. dia. bears S 43 W 31 lks. &
 a W. Oak 12 ins. dia. bears S 37 W 26 lks. This mile
 Beech Oak & Poplar & Sugar. hills. Story Soil

South East Boundary of Sec. 13. T. 3. S. R. 1. W

- 8.25 Poplar 16 ins. dia
 11.50 Brook 6 lks. wide course W.
 19.95 B. Oak 12 ins. dia
 26.12 Beech 12 " "
 40.00 Set 1/4 Sec. post from which a B. Oak 14 ins. dia

S. E. S. R. 1. E. of Mer. Ind.

	bears S 52 W 33 lbs. 4 a (W. Oak) 18 ins. bears S 53 E. 4 lbs.
57.50	Creek 100 lbs. wide course S. E
63.10	Elm 20 ins. dia
67.00	Creek 150 lbs. wide course S. W.
80.00	Set post cor. of Sec. 13. 9 24. N. 3. S. R. 1. W from which an Ironwood 9 ins. dia bears S 87 W 6 lbs. 4 a Sugar tree 9 ins. dia. bears S 80 E 18 lbs (this mile near creek). Steep rocky points of hills. Timber Beech Oak & Sugar.

South	East Boundary of Sec. 24. N. 3. S. R. 1. W
28.50	W. Oak 24 ins. dia
35.50	Creek course S. — quarter Sec. Cor. in creek on a small Island, no post set
42.25	Out of Creek on same side course S 30 W
49.36	B. Oak 12 ins. dia
67.50	Beech 16 " "
72.00	Creek 150 lbs. wide course S. E. still water
80.00	Sugar tree 15 ins. dia on very steep N. side of hill cor. of Sec. 24 & 25 N. 3. S. R. 1. W. This mile steep stony poor points of hills. near creek. September 5. 1805.

South	East side of Sec. 25. N. 3. S. R. 1. W
23.00	Creek 8 lbs. wide course S. E
38.80	Sugar tree 12 ins. dia
40.00	In Sec. corner from which a Beech 24 ins. dia bears S 11 W 6 lbs. 4 a Beech 14 ins. dia. bears N 37 E 14 lbs
57.50	Creek 200 lbs wide course S. W.
68.74	W. Walnut 18 ins. dia
80.00	Put post cor. of Sec. 25 & 36 N. 3. S. R. 1. W. from which a Beech 16 ins. dia bears S 44 W. 19 lbs & a Beech 14 ins. dia. bears N 20 W 10 lbs. This mile Beech & Oak Timber. ridges, stony land. near the creek.

61

T. B. S. R. 1. E. of Mer. Ind.

South East side of Sec. 36. T. B. S. R. 1. W.
 3.00 Creek 200 lbs. wide course S. E.
 12.82 Beech 16 ins. dia
 24.90 Sugar tree 2 " "
 40.00 1/4 sec. post from which a W. Oak 14 ins. dia. bears
 S 47 W 34 lbs. & a W. Oak 10 ins. dia. bears N 12 W 17 lbs.
 40.88 B. Oak 26 ins. dia
 48.50 Creek 100 lbs. wide course S. E.
 60.50 Beech 16 ins. dia
 67.00 Creek 100 lbs. wide course S. W. still water
 72.40 Beech 12 ins. dia
 80.00 Put post cor. of Towns. 3 & 4 S. R. 1. W & corner
 of Towns 3 & 4 S. R. 1. E. from which a Beech
 12 ins. dia. bears S 21 W 5 lbs. & a Beech 18 ins.
 dia. bears N 58 E. 19 lbs. High Beech Limb?
 rocky hills near the creek.

Sunday Aug. 18. 1805 Began T. line & S. W. corner of Township No. 2 S. & N. W. corner of No. 3 S. in Range No. 1 E. of Mer. established by Mr. Buckingham

East Variation of the needle S. 30 E
 7.11 Os line sugar tree 4 ins. dia
 8.50 Os " Beech 9 " "
 21.50 Os run course N. 25 lbs. wide
 33.00 Os same run 30 lbs. wide course S. E
 40.00 Set 1/4 sec. post from which a Beech 15 ins. dia.
 bears S 30 E 19 lbs. & a Beech 12 ins. dia bears
 N 15 W 36 lbs
 58.00 Os run course S. 50 lbs. wide
 80.00 Os " " N 60 " "
 Set post cor. of Sec. 31 & 32 on S. Boundary of
 T. 2 S. in the run from which a W. Walnut 18
 ins. dia. bears S 15 W 25 lbs. & a Buckeye 8 ins. dia
 bears N 80 E 70 lbs. Rich hill land Timber
 Poplar Beech sugar tree Ash & Oak

N. 3. S. R. 1. E. of Mer. Ind.

Spice undergrowth & fine water

East Over Bottom
 9.50 Co Run 50 lks. wide course East
 11.00 Up Run course S. of E
 35.50 Co run 50 lks. wide course N
 40.00 Buck 4 ins. dia for 1/4 Sec. post from which
 a Sugar-tree 6 ins. dia. bears N. 10 E 8 lks.
 August 18. at night

East
 59.50 Co run 50 lks. wide course N.
 80.00 Set post cor. of Sec. 32 & 33 N. 2. S. R. 1 E
 from which a Buck 15 ins. dia bears N 15 W
 10 lks. & a Buck 18 ins. dia. bears S 25 E 42 lks.
 Good hill land some bottom on the Run Buck
 Timber Spice W. G. Aug. 19.

East
 18.10 Co line Gum 12 ins. dia
 40.00 Set 1/4 Sec. post from which a Buck 9 ins. dia. bears
 N 70 E 9 lks. & a W. Oak 20 ins. dia bears N 70 W 20 lks.
 40.50 Down at Run bottom.
 80.00 Set post S. E. cor. of Sec. 33 & S. W. cor. of Sec. 34
 N. 2. S. R. 1 E. from which a Buck 30 ins. dia
 bears N 67 E 43 lks. & a Buck 7 ins. dia. bears N
 34 W 20 lks. This last mile is good land &
 level Buck Sugar-tree Gum Oak & Poplar
 Spice W. G.

East On S. Side of Sec. 34 N. 2. S. R. 1 E. Co run
 8.50 50 lks wide course N & S.
 18.65 Co line W. Oak 6 ins. dia.
 40.00 Set 1/4 Sec. post from which a W. Oak 1 1/2 ins. dia
 bears S 38 W 13 lks. & a B. Oak 18 ins. dia bears S. 48 E 16 lks
 80.00 Set post cor. of Sect 34 & 35 on S. Side of N. 2
 S. R. 1 E. from which a W. Oak 15 ins. dia. bears

63

D. 3. S. R. 1. E. of Mer Ind.

S 75 W 33 lbs. & a W. Oak 30 ins. dia. bears N 15 W 31 lbs.
Thin Soil Oak Timber

East On S. Side of Sec. 35. T. 2. S. R. 1. E

20.00 To line W. Oak 5 ins. dia

40.00 Set 1/4 Sec. post from which a B. Oak 20 ins. dia
bears S 75 E 20 lbs. & a W. Oak 15 ins. dia bears S 53 W 24 lbs.

48.50 W. Oak line tree 15 ins. dia

73.20 Poplar " " 40 " "

80.00 Set post cor. of Sec. 35 & 36 on S. Bound any
from which a Poplar 18 ins. dia bears N 50 E 15 lbs
& a Hickory 12 ins. dia. bears S 4 W. 50 lbs.

Good level land, no water Timber Oak Hickory
& Poplar. no w. l.

East On S. Side of Sec. 36. T. 2. S. R. 1. E

35.25 To line B. Oak 30 ins. dia

40.00 To Dogwood 1/4 Sec. post 5 ins. dia. from which
a Hickory 24 ins. dia. bears S. 7 lbs.

71.28 To line B. Oak 30 ins. dia

80.00 Set post S. E. cor. of T. 2. S. R. 1. E. & N. E. cor. of T. 3. S.
R. 1. E. & S. W. cor. of T. 3. S. R. 2. E. & S. W. cor. of
T. 2. S. R. 2. E. from which a Poplar 12 ins. dia
bears S 40 E 39 lbs. & a B. Oak 10 ins. dia bears N
42 W. 47 lbs. Level land thin soil Oak Timber.

North Between Sec. 35 & 36 in T. 3. S. R. 1. E

10.00 To W. Oak 10 ins. dia

40.00 Set 1/4 Sec. post from which a B. Oak 20 ins. dia
bears E. 4 lbs & a Dogwood 4 ins. dia bears S 45 W 25 lbs.

43.00 To B. Oak 10 ins. dia.

80.00 Set post cor. of Sec. 25. 26. 35 & 36 from which
a B. Oak 26 ins. dia. cor. tree. from which a W. Walnut-
12 ins. dia bears S 90 E 92 lbs. Level Oak land
Jas. J. J. M. G.

Y. E. I. R. 1. E. of Mer. Ind.

East	Between Dec. No. 25 & 36. 2kt Temp. posts &
30.00	To run 10 lbs. over no water course S.
80.05	To corner full 60 lbs. N. of Post. Thin Soil Oak Timber, rough & rocky.
West	Between Dec. No. 25 & 36
40.02	Set $\frac{1}{4}$ Sec. post from which a B. Oak 18 ins. dia. bears N 4 W. 33 lbs. & a Gum 20 ins. dia. bears N 86 E 31 lbs.
North	Between Dec. No. 34 & 35
12.50	To B. Oak 20 ins. dia. in line
15.10	To " " 11 " " " "
40.01	Set $\frac{1}{4}$ Sec. post from which a B. Oak 10 ins. dia. bears S 70 W 16 lbs. & a W. Oak 5 ins. dia. bears N 40 E 7 lbs.
20.10	To B. Oak 12 ins. dia. in line
25.00	To " " 10 " " " "
60.00	Set post cor. of Dec. No. 26. 27. 33 & 34 from which a W. Oak 15 ins. dia. bears S 45 W 33 lbs. & a W. Oak 12 ins. dia. bears N 70 E 18 lbs. Rough hill land Oak Timber, Green Bricks Riv. Cy.
North	Between Dec. No. 33 & 34
18.00	To Stream 20 lbs. over course S 10 W
34.10	To " 30 " " " S 10 E
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 10 ins. dia. bears S 40 W 16 lbs. & a Beech 12 ins. dia. bears N 45 E 33 lbs.
80.00	Set post cor. of Dec. 27. 28. 33 & 34 from which a Gum 15 ins. dia. bears N 75 E 20 lbs. & a W. Oak 30 ins. dia. bears E. 50 lbs. Broken land. Oak Beech & Gum
North	Between Dec. No. 32 & 33
10.00	To a B. Oak 15 ins. dia
20.50	To " " 20 " " "
40.00	To a B. Oak 40 ins. dia. for $\frac{1}{4}$ Sec. cor. from which a B. Oak 20 ins. dia. bears S 40 E 33 lbs.
80.00	Set post cor. of Dec. No. 28. 29. 32 & 33.

65

Y. 3. S. R. 1. E. of Mer. Ind.

	Thin Soil Oak Timber
North	Between Sec? No. 31 & 32. T. 3. S. R. 1. E
13.00	Go a B. Oak 6 ins. dia in line
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Walnut 8 ins. dia. bears N 70 E 32 lbs. 4 a B. Oak 9 ins. dia. bears N 76 W 10 lbs.
48.00	Go run 10 lbs. over course W.
50.00	Set post cor. of Sec? 29, 30, 31 & 32 from which a W. Oak 10 ins. dia. bears S 60 W 31 lbs. 4 a Gum 30 ins. dia. bears S 80 E 42 lbs. Rough land, good soil. Oak Oak & Gum Timber
East	Between Sec? No. 29 & 32 set Temp? posts &
80.00	Go cor. fell 15 lbs. S. of post Thin Soil Oak Timber
East	Between Sec? 28 & 33
5.00	Go Stream 20 lbs. over course S.
80.09	Go cor. fell 5 lbs. N. of post. Rough hill. W. Oak Timber Green Pines & Sassafras W. G.
East	Between Sec? No. 27 & 34 set Temp? posts &
80.08	Go cor. fell 15 lbs. S. of post. Plain land. thin soil. Oak Timber. Green Pines Sassafras & Hickory W. G.
East	Between Sec? No. 26 & 35. Set Temp? posts &
80.07	Go corner fell 10 lbs. S. of post. Thin Soil Oak Timber no water
North	Between Sec? No. 25 & 26
8.50	Go a B. Oak 10 ins. dia
15.00	Go a W. Oak 15 " "
40.00	Set $\frac{1}{4}$ Sec. post from which a Poplar 9 ins. dia. bears N 10 E 30 lbs 4 a B. Oak 10 ins. dia. bears S 50 W 20 lbs.
80.00	Set post cor. of Sec? No. 23, 24, 25 & 26 from which a W. Oak 15 ins. dia. bears S 50 E 25 lbs. 4 a W. Oak 8 ins. dia. bears N 5 W 20 lbs Thin Soil W. Oak Timber

Y. S. L. R. A. E. of Mer.

West 40.03	Between Sec? No. 26 & 28 Set $\frac{1}{4}$ Sec. post from which a B. Oak 30 ins. dia bears N 30 E 5 lks. & a W. Oak 7 ins. dia. bears S 32 W 10 lks
North 15.00 30.00 40.00 80.00	Between Sec? No. 26 & 27 Do W. Oak 10 ins. dia Do B. Oak 15 " " Do B. Oak 12 ins. dia. for $\frac{1}{4}$ Sec. corner from which a B. Oak 12 ins. dia. bears N 40 W 10 lks Set post cor. of Sec? No. 22, 23, 26 & 27 from which a W. Oak 20 ins. dia. bears N 10 E 24 lks. & a W. Oak 10 ins. dia. bears S 3 E 29 lks. Poor land. Oak Timber
West 40.04	Between Sec? No. 27 & 34 Set $\frac{1}{4}$ Sec. post from which a W. Oak 40 ins. dia bears S 40 E 29 lks. & a W. Oak 15 ins. dia. bears N 26 E 33 lks
North 10.00 40.00 45.00 80.00	Between Sec? No. 27 & 28 Do B. Oak 10 ins. dia. in line to a W. Oak 6 ins. dia. for $\frac{1}{4}$ Sec. corner from which a W. Oak 10 ins. dia. bears E. 8 lks. Do B. Oak 12 ins. dia. in line Set post cor. of Sec? No. 21, 29, 27 & 28 from which a B. Oak 30 ins. dia. bears S 40 E 29 lks. & a W. Oak 12 ins. dia. bears N 45 W 30 lks Rough hilly land, thin soil. Oak Timber
West 40.00	Between Sec? No. 28 & 33 Set $\frac{1}{4}$ Sec. post from which a W. Oak 5 ins. dia. bears N 44 E 20 lks. & a B. Oak 7 ins. dia. bears S 50 W 42 lks
North 11.10 26.00 40.00	Between Sec? No. 28 & 29 Do W. Oak 15 ins. dia. in line Do " " 20 " " " " Set $\frac{1}{4}$ Sec. post from which B. Oak 12 ins. dia. bears E. 5 lks. & a W. Oak 15 ins. dia. bears S 25 W 10 lks

67

Y. J. L. R. A. E. of Mrs. Ind.

86.00	To B. Oak 3 6 ins. dia corner of Sec? No 21. 21. 28429 from which a B. Oak 24 ins. dia. bears S 80 W 22 lbs First 1/4 level, last 1/4 rough hills, Oak Timber—
West	Between Sec? No. 29 & 32
40.00	Set 1/4 Sec. post from which a Sugar-tree 12 ins. dia bears N 10 W 14 lbs. & a W. Oak 15 ins. dia. bears S 15 W 6 lbs
West	Between Sec. No. 30 & 31
40.00	Set 1/4 Sec. post from which a W. Oak 20 ins. dia bears N 50 W 16 lbs. & a W. Oak 19 ins. dia. bears S 60 E 16 lbs
47.00	To little blue River, set post at cor. of Sec? No. 30 & 31 in River from which a Beech 15 ins. dia. bears S 45 W 18 lbs. & a Beech 18 ins. dia. bears N 35 W 8 lbs Tall 50 lbs. S. of Mr. Buckingham's corner. First 1/4 level, last 1/4 rough land beech Timber—
North	Between Sec? No. 29 & 30
4.00	To B. Oak 15 ins. dia in line
17.00	To " " 17 " " " "
40.00	Set 1/4 Sec. post on Bank of little Blue River— from which a Beech 12 ins. dia. bears N 65 E 23 lbs. & a Beech 13 ins. dia. bears S 65 W 22 lbs.
72.00	To Sugar-tree 13 ins. dia in line
80.00	Set post cor. of Sect No. 19. 20. 29 & 30 from which a W. Oak 12 ins. dia bears S 10 E 11 lbs & a Dogwood 7 ins. dia. bears N 60 W 10 lbs. Rough land poor soil Oak Timber—
West	Between Sec? No. 19 & 30
40.00	Set 1/4 Sec. post from which a W. Oak 30 ins. dia bears S 10 E 24 lbs. & a Hick. 26 ins. dia. bears N. 7 lbs.
42.00	To run 10 lbs over course &
77.00	To W. R. line struck the corner. Sugar tree 13 ins. dia corner of Sect No. 19 & 30 Rough land Beech

T. 3 S. R. 1 E. of Mer. Ind.

+ Oak Timber

East 80.00	Between Sec. No. 20 & 29 set Temp. posts &c Struck the cor. tree, thin Soil Oak Timber, some Green briars
East 50.00 79.90	Between Sec. No. 21 & 28 set Temporary posts &c To stream 15 lbs. wide course S To corner. Rough hilly land Oak Timber
East 80.10	Between Sec. No. 22 & 27 set Temp. posts &c To cor. fell 30 lbs. S. of post. Thin Soil Oak & Hickory Timber, Green briars W.G.
East 80.00	Between Sec. No. 23 & 26 set Temp. posts &c To cor. fell 10 lbs. N. of post Poor land plain W. Oak Timber Green Briars W.G.
East 80.04	Between Sec. No. 24 & 25 set Temp. posts &c To cor. fell 20 lbs. S. of post Level land thin soil W. Oak Timber Green Briars W.G.
West 40.00	On true line Set 1/4 sec. post from which a W. Oak 10 ins. dia. bears S 70° W 20 lbs. & a W. Oak 18 ins. dia bears N 70° E 22 lbs.
North 7.10 12.00 40.00 80.00	Between Sec. No. 23 & 24 To W. Oak 10 ins. dia. in line Do " " 15 " " " " Set 1/4 sec. post from which a Hickory 12 ins. dia. bears S 40° E 30 lbs. & a W. Oak 10 ins. dia. bears N 70° E 28 lbs. Set post cor. of Sec. No. 13, 14, 23 & 24 from which a Gum 30 ins. dia. bears S 45° E 19 lbs. & a Gum 15 ins. dia. bears N 70° W 21 lbs. Thin Soil Oak Timber

69

T. S. L. R. I. E. of Mer. Ind.

West	Between Sec. No. 23426
40.00	Set $\frac{1}{4}$ Sec. post. from which a Beech 18 ins. dia. bears S 80 E 17 lbs. & a Gum 7 ins. dia. bears S 45 W 13 lbs.
North	Between Sec. No. 23422
15.50	Co. W. Oak 12 ins. dia.
20.00	Co. " " 15 " "
40.00	Set $\frac{1}{4}$ Sec. post. from which a B. Oak 20 ins. dia. bears N 60 E 7 lbs. & a Gum 4 ins. dia. bears S 40 W 9 lbs.
80.00	Set post cor. of Sec. No. 14, 15, 22423. from which a B. Oak 18 ins. dia. bears N 10 W 25 lbs. & a Hick. 8 ins. dia. bears S. 15 E 19 lbs. Rough hills. Oak Timber
West	Between Sec. No. 22427.
40.05	Set $\frac{1}{4}$ Sec. post. from which a W. Oak 30 ins. dia. bears N 96 E 15 lbs. & a Hick. 15 ins. dia. bears S 75 W 21 lbs.
North	Between Sec. No. 21922
1.80	Co. Hickory 9 ins. dia.
15.00	Co. Stream 10 lbs. wide crosses E
29.00	Co. " 12 " " " W.
40.00	Set $\frac{1}{4}$ Sec. post. from which a W. Oak 10 ins. dia. bears S 75 E 23 lbs. & a Elm 7 ins. dia. bears N 20 W 16 lbs.
45.00	Co. W. Oak 10 ins. dia.
50.00	Co. " " 11 " "
80.00	Set post cor. of Sec. No. 15, 16, 21922 from which a B. Oak 30 ins. dia. bears N 45 W 9 lbs. & a Poplar 20 ins. dia. bears S 94 E 28 lbs. Rough land. Oak, Beech & Poplar Timber
West	Between Sec. No. 21428
39.95	Set $\frac{1}{4}$ Sec. post. from which a W. Oak 40 ins. dia. bears N 60 E 25 lbs. & a W. Oak 10 ins. dia. bears N 53 W 42 lbs.
North	Between Sec. No. 20421
12.40	Co. a Gum 15 ins. dia. in line

G. B. A. R. I. C. of Mer. Ind.

40.00	Set $\frac{1}{4}$ Sec. post from which a Poplar 40 ins. dia bears E. 60 lbs. & a B. Oak 20 ins. dia. bears N 40 W 22 lbs
45.00	To a Poplar 10 ins. dia
80.00	Set post cor. of Sec. No. 16, 17, 20 & 21 from which a Hick 20 ins. dia bears N 15 W 24 lbs. & a W. Oak 7 ins. dia bears S. 10 E 5 lbs. — Good level land Timber Poplar (Hick) Oak
West Between Sec. No. 20 & 29	
40.10	Set $\frac{1}{4}$ Sec. post from which a Buck 12 ins. dia. bears N. 10 W 16 lbs. & a B. Oak 30 ins. dia. bears S 16 E 48 lbs.
North Between Sec. No. 19 & 20	
12.00	To W. Oak 18 ins. dia
26.50	To " " 12 " "
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 30 ins. dia. bears S 45 W 8 lbs. & a W. Oak 7 ins. dia. bears N. 32 lbs
80.00	Set post cor. of Sec. No. 17, 18, 19 & 20 from which a B. Walnut 13 ins. dia. bears S 5 E 10 lbs & a W. Oak 11 ins. dia. bears N 10 W. 20 lbs. Level land. Oak Timber. Open woods
East Between Sec. No. 17 & 20. Set Temporary post &c	
80.10	To corner fell 10 lbs. S. of post. Poor hill land. Oak Timber. Green Pines
East Between Sec. No. 16 & 21	
33.00	Set Temporary post &c. at Run 10 lbs. S.
80.14	To corner fell 12 lbs. S. of post. Rough hilly land. Oak Timber
East Between Sec. No. 15 & 22	
65.00	To run 20 lbs. over course S 40 W
80.00	To cor. fell 7 lbs. S. of post. Thin Oak Land



71

T. S. J. — R. I. E. of Mer. & Ind.

East	Between Sec. No. 14 & 23. Set Temp. Y. posts
79.80	No. corner fell 12 lbs. S. of post Level land, thin soil. W. Oak Timber
East	Between Sec. No. 13 & 24. set Temp. Y. posts
80.00	No. cor. fell 20 lbs. S. of post Level land, thin soil. W. Oak Timber. Green briars
West	Established the line
40.00	Set 1/4 Sec. post from which a Poplar 15 ins. dia bears S 83 W 32 lbs. & a Sassafras 5 ins. dia, bears N 50 E 15 lbs.
North	Between Sec. No. 13 & 14
9.40	No. W. Oak 12 ins. dia
40.00	Set 1/4 Sec. post from which a Sassafras 8 ins dia, bears S 50 W 18 lbs. & a W. Oak 15 ins. dia, bears N 48 E 16 lbs
80.00	Set post cor. of Sec. No. 11. 12. 13 & 14. from which a W. Oak 30 ins. dia, bears S 75 W 40 lbs. & a Sassa fras 7 ins. dia, bears N 50 E 19 lbs — Level land, Oak Timber
West	Between Sec. No. 14 & 23
39.90	Set 1/4 Sec. post from which a W. Maple 13 ins. dia bears N 20 E 24 lbs & a Sugar-tree 15 ins. dia, bears S 30 W 23
North	Between Sec. No. 14 & 15
6.00	No. run 12 lbs. over course W
19.00	No. a W. Oak 15 ins. dia
40.00	Set 1/4 Sec. post from which a W. Oak 30 ins. dia, bears N 20 W 49 lbs. & a W. Oak 18 ins. dia, bears S 30 E 50 lbs
50.00	No. W. Oak 20 ins. dia
80.00	No. W. Oak 12 ins. dia cor. of Sec. 10. 11. 14 & 15 from which a W. Oak 15 ins. dia, bears S 60 W 14 lbs. Thin soil Oak Timber



Y. 3. S. R. 1. E. of Men. Ind.

West	Between Sec. No. 15 & 22
40.00	Set $\frac{1}{4}$ Sec. post from which a Poplar 50 ins. dia. bears S 70 W 44 lbs. & a W. Oak 12 ins. dia. bears S 80 E 17 lbs.
North	Between Sec. No. 15 & 16
15.00	To Stream course W.
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 12 ins. dia. bears S 10 W 29 lbs. & a Beech 13 ins. dia. bears N 90 E 19 lbs.
45.00	To W. Oak 12 ins. dia.
80.00	Set post cor. of Sec. No. 9. 10. 15 & 16 from which a W. Oak 10 ins. dia. bears S 5 E 36 lbs. & a W. Oak 7 ins. dia. bears S 90 W 24 lbs. Thin soil, Oak timber, Open Woods
West	Between Sec. No. 16 & 21
40.00	Set $\frac{1}{4}$ Sec. post from which a B. Oak 7 ins. dia. bears S 5 lbs. & a W. Oak 6 ins. dia. bears S 80 W 10 lbs.
50.00	To Run 14 lbs. over course S.
North	Between Sec. No. 16 & 17
12.00	To a W. Oak 10 ins. dia.
40.00	To W. Oak 9 ins. dia. for $\frac{1}{4}$ Sec. corner. from which a W. Oak 8 ins. dia. bears S 26 W 11 lbs.
50.00	To a W. Oak 12 ins. dia.
80.00	Set post cor. of Sec. No. 8. 9. 16 & 17. from which a Beech 15 ins. dia. bears N 10 lbs. & a Beech 18 ins. dia. bears S 40 W 9 lbs. Broken land Oak & Beech Timber
West	Between Sec. No. 17 & 20
40.05	Set $\frac{1}{4}$ Sec. post from which a Poplar 9 ins. dia. bears N 55 W 40 lbs. & a W. Oak 9 ins. dia. bears S 10 E 8 lbs.
West	Between Sec. No. 18 & 19
40.00	Set $\frac{1}{4}$ Sec. post from which a Poplar 40 ins. dia.

73

S. 3. S. R. 1. E. of Mer. Ind.

77.50	bears S 30 W 17 1/2 lbs. 9 a Gum 18 ins. dia. bears N 70 E 2 1/4 To Mr. R. Linn. fell 20 lbs. S. of post. Established cor. of Sec. 18419. from which a B. Oak 10 ins. dia. bears Broken land Oak Poplar & Gum Timber
North	Between Sec. No. 17 & 18
10.00	To a B. Oak 10 ins. dia
40.00	Set 1/4 Sec. post from which a Beech 10 ins. dia. bears S 10 W 25 lbs. 9 a Sugar tree 12 ins. dia. bears S 70 E 22 lbs
80.00	Set post cor. of Sec. No. 7 & 8. 17 1/2 W 18 from which a Beech 15 ins. dia. bears N 30 W 18 lbs. 9 a Hickory 20 ins dia. bears S 20 W 42 lbs. — Rough hills. Oak Timber
East	Between Sec. No. 8 & 17. Set Temp. post to de
79.10	To corner fell 5 lbs. N. of the post. Rough land thin soil. Oak Beech & Hickory Timber
East	Between Sec. No. 9 & 16. Set post to
80.00	To cor. fell 20 lbs. In Poor land Oak Timber hills
East	Between Sec. No. 10 & 15 set temporary post to de
79.80	To corner fell 10 lbs. N. of Post. Good land Oak Timber
East	Between Sec. No. 11 & 14. Set Temp. post to de
80.10	To corner fell 30 lbs. N. of post. Broken land, Oak Timber
East	Between Sec. No. 12 & 13 set Temp. post to de
80.08	To cor. fell 12 lbs. S. of post. Good upland. Oak & Hickory Timber
West	On true line between Sec. 12 & 13
40.01	Set 1/4 Sec. post from which a W. Oak 15 ins. dia. bears S 45 W 32 lbs. 9 a W. Oak 30 ins. dia. bears N 40 E 45 lbs.
North	Between Sec. No. 11 & 12
5.30	To B. Oak 10 ins. dia in line

S. 3. S. R. 1. E. of Mer. Ind.

8.50	To Spring end West
40.00	Set $\frac{1}{4}$ Sec. post from which a Walnut 10 ins. dia bears N 70 W 19 lbs. & a Poplar 30 ins. dia. bears S 80 E 26 lbs.
46.00	To run $\frac{1}{4}$ Sec. over course W.
80.00	Set post cor. of Sec. No. 1. 2. 11. & 12 from which a W. Oak 15 ins. dia. bears N 10 E 35 lbs. & a W. Oak 13 ins. dia bears S 20 W 40 lbs. Thin Soil, Oak Timber
West	Between Sec. No. 11 & 14
40.05	Set $\frac{1}{4}$ Sec. post from which a Gum 15 ins. dia. bears N 50 E $1\frac{1}{4}$ lbs. & a Sugar tree 7 ins. dia. bears S 55 W 5 lbs
North	Between Sec. No. 11 & 11 ¹⁰
12.10	To W. Oak 12 ins. dia in line
40.00	Set $\frac{1}{4}$ Sec. post. from which a Hickory 18 ins. dia. bears N 65 E 22 lbs. & a W. Oak 10 ins. dia. bears S 15 W 3 $\frac{1}{4}$ lbs.
80.00	Set post cor. of Sec. No. 2. 3. 10 & 11 from which a cherry 12 ins. dia. bears N 50 W 17 lbs. & a Dog? 7 ins. dia bears S 45 E 25 lbs Level land Oak Gum & Sugar-tree Timber
West	Between Sec. No. 10 & 15
39.95	Set $\frac{1}{4}$ Sec. post from which a W. Oak 9 ins. dia. bears N 60 W 2 $\frac{1}{4}$ lbs. & a W. Oak 15 ins. dia. bears N 50 E 25 lbs
North	Between Sec. No. 9 & 10
3.50	To W. Oak 9 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a Beech 7 ins. dia. bears S 40 E 39 lbs. & a W. Oak 6 ins. dia. bears N 5 W 50 lbs
80.00	Set post cor. of Sec. No. 3. 4. 9 & 10 from which a Poplar 40 ins. dia. bears N 70 E 40 lbs. & a W. Oak 15 ins. dia. bears S 40 W 43 lbs. (Thin Soil Oak, Timber, level land, Open woods)
West	Between Sec. No. 9 & 16

75

S. 3. S. R. 1. E. of Mer. Ind.

40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 40 ins. dia bears S 70 E 31 lbs. & a W. Oak 12 ins. dia bears N 40 W 12 lbs
North	Between Secs. No. 8 & 9
4.50	To Back 10 ins. dia
12.00	To W. Oak 12 " "
40.00	Set $\frac{1}{4}$ Sec. post from which a Poplar 20 ins. dia. bears N 40 W 27 lbs. & a Gum 10 ins. dia. bears N 40 E 28 lbs
80.00	Set post cor. of Sect No. 4: 5. & 9: 9 from which a W. Oak 13 ins. dia. bears W. 25 lbs. & a Hick 10 ins. dia bears S 40 E 25 lbs. Thin Soil Oak Timber
West	Between Sect No. 8 & 14
39.53	To W. Oak 6 ins. dia for $\frac{1}{4}$ Sec. corner. from which a B. Oak 10 ins. dia. bears S 45 W 54 lbs
West	Between Sect No. 7 & 18
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 15 ins. dia. bears S 70 W 16 lbs. & a Sugar-tree 5 ins. dia. bears N 60 E 22 lbs.
74.00	To W. R. line fell 80 lbs. N. of post. Set corner of Sect. No. 7 & 18 from which a W. Oak 13 ins. dia. bears S 40 E 12 lbs. & a Hick 7 ins. dia bears N 50 W 25 lbs. Rough land Oak Timber, poor Soil
North	Between Sect. No. 7 & 8
10.00	To Sugar-tree 10 ins. dia
20.00	To " " 15 " "
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 10 ins. dia. bears N 45 E 24 lbs. & a Sugar 13 ins. dia. bears S 70 W 22 lbs
80.00	Set post cor. of Sect 5: 6. 7 & 8 from which a W. Oak 20 ins. dia. bears N 45 E 20 lbs. & a W. Oak 10 ins. dia. bears S 70 W 20 lbs. Broken land Oak Timber
East	Between Sect. No. 5 & 8. Set Imp. Y. posts &c
80.40	To corner fell N. of post 20 lbs. Rough hills Oak Timber

Y. S. R. L. E. of Mrs. Ind.

East	Between Sec. 4 & 9 set Temp. posts &c
80.20	To cor. fell 20 hrs. S. of post. Broken land thin soil, Oak Timber & Hickory
East	Between Sec. No. 3 & 10. set Temp. posts &c
80.30	To cor. fell 12 hrs. N. of post Level land, thin soil, Oak Timber
East	Between Sec. No. 2 & 11
15.00	To run 5 hrs. over course N., set Temporary posts &c
80.00	To corner fell 5 hrs. S. of post Good upland, Oak & Hickory Timber
East	Between Sec. No. 1 & 12, set Temp. posts &c
80.20	To E. R. line fell 5 hrs. N. of post Level land thin soil, Oak Timber
West	Placed back the true line betw. 1 & 12.
40.00	Set $\frac{1}{4}$ Sec. post from which a Gum 10 ins. dia. bears S 70° W 18 hrs. & a Maple 10 ins. dia. bears S 70° E 40
40.00	Set $\frac{1}{4}$ Sec. post from which a Gum 10 ins. dia. bears S 70° W 18 hrs. & a Maple 10 ins. dia. bears S 70° E 40 hrs.
North	Between Sec. No. 1 & 2
15.00	To B. Oak 10 ins. dia
40.00	To W Oak 30 ins. dia $\frac{1}{4}$ Sec. corner from which a Hickory 10 ins. dia. bears N 60° E 7 hrs.
79.00	To Township line, fell 12 hrs. W. of cor. W. Oak 12 ins. dia. cor. of Sec. No. 1 & 12 in Y. S. R. L. E. Good upland Oak Timber
West	Between Sec. No. 2 & 11
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 8 ins. dia. bears N 20° W 34 hrs., & a W. Oak 7 ins. dia. bears N 40° E 20 hrs.

N. 3. S. R. 1. E. of Mer. Ind.

77

North Between Sec. No. 293
 7.10 To B. Oak 10 ins. dia
 15.00 Do " " 15 " "
 40.00 Set $\frac{1}{4}$ Sec. post from which a Poplar 20 ins. dia bears E 3 $\frac{1}{2}$ hrs & a Dogwood 5 ins. dia bears N. 3 $\frac{1}{2}$ hrs
 75.80 To Township line struck the post cor. of Sec. No. 293 from which a B. Oak 18 ins. dia. bears S 40 E 20 hrs. & a B. Oak 15 ins. dia. bears S 30 W 50 hrs.
 Good upland Oak & Hickory Timber

West Between Sec. No. 3410
 40.15 Set $\frac{1}{4}$ Sec. post from which a Gum 15 ins. dia. bears N 40 E 12 hrs. & a Hickory 20 ins. dia. bears S 50 E 13 hrs.

North Between Sec. No. 344
 10.00 To a W. Oak 10 ins. dia
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 15 ins. dia. bears N 15 E 24 hrs. & a Poplar 6 ins. dia. bears S 10 W 5 hrs
 64.00 To Run 30 hrs. over course W.
 79.00 To Township line Sugar-tree 12 ins. dia corner of Sec. No. 344 in N. 3. S. R. 1. E. fell W. 70 hrs
 Rough land. Oak Timber—

West Between Sec. No. 449
 40.10 Set $\frac{1}{4}$ Sec. post from which a Hickory 7 ins. dia. bears S 40 E 50 hrs. & a Dogwood 5 ins. dia. bears N 10 W 70 hrs.

North Between Sec. No. 445
 11.20 To B. Oak 12 ins. dia. in line
 40.00 Set $\frac{1}{4}$ Sec. post from which a Beech 18 ins. dia. bears S 40 W 14 hrs. & a Beech 10 ins. dia. bears N 50 E 16 hrs.
 53.00 To Run 30 hrs. over course W.
 80.00 To Township line. W. Oak 9 ins. dia. corner of Sec. No. 445 fell 40 hrs. W. of corner
 Rough land Oak Timber—

D. 3. S. R. 1. E. Ind.

West	Between Sec. No. 5 & 8
110.20	Set $\frac{1}{4}$ Sec. post from which a W. Oak 18 ins. dia bears S 50 E 14 lbs. & a B. Oak 15 ins. dia bears N. 24 lbs.
West	Between Sec. No. 6 & 7 over rough hills thin soil
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 9 ins. dia bears S 80 W 24 lbs & a Hickory 7 ins. dia N 10 W 25 lbs
7 $\frac{1}{2}$ 50	To W. R. line at cor. from which a Buck 20 ins dia bears S 70 W 50 lbs. & a Sugar tree 18 ins. dia bears S 40 W 30 lbs. Rough land Oak Timber
North	Between Sec. No. 5 & 6.
10.00	To W. Oak 15 ins. dia in line
40.00	Set $\frac{1}{4}$ Sec. from which a Hickory 9 ins. dia, cor. tree & a Hickory 12 ins. dia bears S 90 W 20 lbs
50.00	To run 30 lbs. wide course W.
80.00	To first cor. of Sec. No. 3 19 32 on Base line marked cor. of Sec. No. 5 & 6 in D. 3. S. R. 1. E. Rough land Oak & Hickory Timber
	Surveyed by in 1805 Silas Bent. D. J.

I certify that the foregoing Transcript
of the Field notes of Township No. 3 South
Range No. 1. East of the 2^d Mer. has been
compared with the original in this office
and found to be correct

Surveyor General's Office
Cincinnati, Feb. 10. 1844

E. J. A. Jones
Sur. Gen. D